

## Matt Lip & Cheek Stick

### AC-LC180212-5

This formula using **Gelatinization Agent EB-21 and GP-1** to form hard gel stick and give good slip property. **ELDEW® PS-203R** provide moisturising property on the lip.

Part	Trade Name	INCI Name	wt %	Function
A	<b>GELATINIZATION AGENT EB-21 *1</b>	Dibutyl Ethylhexanoyl Glutamide	3.20	Gelling Agent
	<b>GELATINIZATION AGENT GP-1 *2</b>	Dibutyl Lauroyl Glutamide	4.80	Gelling Agent
	Eutanol G *3	Octyldodecanol	32.00	Solvent
B	<b>ELDEW® PS-203R *4</b>	Phytosteryl/Octyldodecyl Lauroyl Glutamate	2.00	Moisturizer
	<b>ELDEW® SL-205 *5</b>	Phytosteryl/Octyldodecyl Lauroyl Glutamate	2.00	Emollient/Pigment disperser
	<b>AMIHOPE® LL *6</b>	Lauroyl Lysine	5.00	Sensory modifier/
	Cetiol OE *7	Dicaprylyl Ether	17.00	Emollient
	Polysynlane *8	Hydrogenated Polyisobutene	2.00	Stabilizer
	Polysynlane V *9	Hydrogenated Polyisobutene	9.80	Stabilizer
	Si-5 Sildex H-52 *10	Silica, Methicone	10.00	Mattifying Agent
	dl-alpha-Tocopheryl Acetate	Tocopheryl Acetate	0.20	Antioxidant
	Covalight White OS 987 *11	CI 77891 (and) Triethoxycaprylylsilane (and) Isononyl Isononanoate (and) Ethylene/Propylene/Styrene Copolymer (and) Sorbitan Oleate	8.00	Pigment Dispersion
	Covalight Red 381 *12	CI 77491 (and) Triethoxycaprylylsilane (and) Isononyl Isononanoate (and) Ethylene/Propylene/Styrene Copolymer (and) Sorbitan Oleate	4.00	Pigment Dispersion
		<b>100.0</b>		

#### Procedure:

- 1 Prepare Part A in advance. Dissolution temperature for premix Part A is around 130°C
- 2 Take require amount of Part A and heat to 90-95°C with stirring
- 3 Premixed Part B and heat to around 90-95°C with stirring
- 4 Then add Part A to B with stirring until homogenous and pour into mould

**Stability:** Passed 3 month 5, 25,45, 50°C

Created date: FEB 2018

Note: The information is provided based upon our technical data and present knowledge. However, we make no warranties, expressed or implied, and assume no liabilities in connection with any use of the information with respect to specific property, safety and suitability for a specific application. It is also not guaranteed that use of the information does not fall within the scope of any intellectual property rights

#### Asia Pacific

Ajinomoto (Singapore) Pte. Ltd. Tel: +65-6257-1922, Fax: +65-6257-1622  
www.ajinomoto.com.sg/contact-us/

Eat Well, Live Well.



## AJITRADE COSMETICS APPLICATION CENTRE

12Ath Fl., Si Ayutthaya Bldg., 487/1 Si Ayutthaya Road,  
Thanon Phaya Thai, Ratchathewi, Bangkok 104000

---

### Supplier:

*1,2,4,5,6	AJINOMOTO	*3,7	BASF	*8,9	NOF
*10	Daito	*11,12	Sensient		

Created date: FEB 2018

Note: The information is provided based upon our technical data and present knowledge. However, we make no warranties, expressed or implied, and assume no liabilities in connection with any use of the information with respect to specific property, safety and suitability for a specific application. It is also not guaranteed that use of the information does not fall within the scope of any intellectual property rights

#### Asia Pacific

Ajinomoto (Singapore) Pte. Ltd. Tel: +65-6257-1922, Fax: +65-6257-1622  
[www.ajinomoto.com.sg/contact-us/](http://www.ajinomoto.com.sg/contact-us/)