

# Matte Lipstick ACAC-LJ-49-N

## High natural origin index ver.

Matte Lipstick containing **ELDEW® PS-203R** provides excellent moisturizing property on lip.  
This formulation has 81% natural origin index.

	Trade name	INCI Name	wt %	Function
A	<b>ELDEW PS-203R</b>	Phytosteryl/Octyldodecyl Lauroyl Glutamate	10.0	Emollient/Pigment dispersant
	EUTANOL G *1	Octyldodecanol	8.0	Emollient
	LEXOL EHP *2	Ethyl Hexyl Palmitate	4.0	Emollient
	LEXOL GT-865 *2	Caprylic/ capric triglyceride	20.0	Emollient
	COVALIGHT WHITE OS 987 AS *3	CI 77891 (and) Triethoxycaprylylsilane (and) Isononyl Isononanoate (and) Ethylene/Propylene/Styrene Copolymer (and) Sorbitan Oleate	10.0	Colorant
	COVALIGHT RED OS 381 AS *3	CI 77491 (and) Triethoxycaprylylsilane (and) Isononyl Isononanoate (and) Ethylene/Propylene/Styrene Copolymer (and) Sorbitan Oleate	6.0	Colorant
B	UNIPURE RED LC304 *3	CI 15850 (and) Triethoxycaprylylsilane	2.0	Colorant
	OZOKERITE WAX 7488 *4	Ozokerite	6.0	Binder
	MICROCRYSTALLINE WAX PHC 3691 *4	Microcrystalline Wax	1.0	Binder
	PARAFFIN WAX 52/54 DAB *5	Paraffin Wax	1.0	Binder
	CARNAUBA WAX PHC2486 *4	carnuba wax	1.0	Binder
	WHITE BEESWAX PHC1000 *4	Beeswax	5.0	Binder
C	CANDELILLA WAX PHC7464 *4	candelilla wax	2.0	Binder
	MSS500/H *6	Silica	5.0	Texture modifier
	IMERCARE04K*7	Kaolin	19.0	Texture modifier
Total			100.0	

\*1 BASF \*2 INOLEX \*3 SENSIENT \* POTH&HILLE \*5 HASEN&ROSENTHAL KG

\*6 KOBO \*7 IMERYS

### <PROCEDURE>

- 1.Disperse part A until mix well and heat up to 90°C.
2. Add part B and part C to part A and stir at 90°C for 30 minutes.
- 3.Pour into mold and cool it down to room temperature for 30 minutes.
- 4.Put it in freezer for 30 minutes and take it out from mold.

### <PHYSICAL PROPERTIES and STABILITY>

Appearance: Stick

Recommended container: Only cannonball type

Maximum load : -

Stability: 5°C, 25°C, 45°C, Cycle (-5⇄40°C) for 3 months