

LOOSE POWDER ALP-01AB

Powder treated with **AMIAURA™ TK-01A and TK-01B** imparts high adhesiveness and moisturized feeling to a loose powder formulation.

	Trade Name	INCI Name	wt%	Function
A	Talc JA-46R *1	Talc	26.5	Extender
	Mica Y-2300X *2	Mica	47.0	Extender
	SUNSPHERE NP-200 *3	Silica	19.0	Sensory improver
	CR-50 *4	Titanium Dioxide	1.5	Pigment
	TAROX LL-100HP *5	Iron Oxides (CI77492)	0.3	Pigment
	TAROX R-516HP *5	Iron Oxides (CI77491)	0.03	Pigment
	TAROX BL-100HP *5	Iron Oxides (CI77499)	0.03	Pigment
B	AMIAURA™ TK-01A	Disodium Stearoyl Glutamate, Arginine, Glycerin, Water	4.7	Treatment agent
C	AMIAURA™ TK-01B	Calcium Chloride, Water	0.94	Treatment agent
		Total	100	

*1 Asada Milling, *2 YAMAGUCHI MICA, *3 AGC Si-Tech, *4 Ishihara Sangyo, *5 Titan Kogyo

<PROCEDURE>

1. Weigh Part A and mix with a mixer for 30 seconds.
2. Add Part B to Part A and mix with a mixer (20 sec., 2 times).
3. Add Part C to Part (A+B) and mix with a mixer (20 sec., 2 times).
4. Dry the mixture (A+B+C) overnight at room temperature.

<PHYSICAL PROPERTIES and STABILITY>

Appearance: Beige, Powder



Note; The information is provided based upon our technical data and present knowledge. However, we make no warranties, expressed or implied, and assume no liabilities in connection with any use of the information with respect to specific property, safety and suitability for a specific application. It is also not guaranteed that use of the information does not fall within the scope of any intellectual property rights.