Prototype
Nov 2015

ASC -30-79

Long Lasting Clear Lip Gloss Stick



Ajinomoto North America Inc. 4105 Poole Road, Raleigh North Carolina 27610

Tel: (919)-233-2367

www.ajiaminobeauty.com

This lip gloss stick product is a unique product for its appearance and application after feel and effects. It has excellent clarity even though it is in a solid stick form. Gelling agent premix, AJKOD_2046, (which is a premix of our oil gelling agents GP-1 & EB-21), provides good strength, structure & clarity to the product, without interfering with the effects and qualities of the oils in the formula. Eldews® mimic ceramides. They provide excellent moisturization to the lips without drying or flaking the lips. Eldews® also prevent sweating of the stick and provide good stability. Eldew® SL-205 acts as a great solvent for organic components. It has a dry oil quality. This stick is a long lasting lip gloss. It stays put on the lips for several hours after application (even after eating & drinking). It is a great on the go, hassle free, long lasting product.

	Trade Name	INCI Name	Supplier	% w/w	Role of ingredient
A.	AJKOD_2046	Octyl Dodecanol, Dibutyl Lauroyl Glutamide, Dibutyl Ethylhexanoyl Glutamide	Ajinomoto North America Inc.	22.00	Gelling Mixture, Structure, Clarity
В.	Panalane H-300E	Hydrogenated Polyisobutene	Vantage	14.50	Stick Stability and structure enhancer
	Panalane L-14E	Hydrogenated Polyisobutene	Vantage	4.00	Stick Stability
	Shea Clear	Butyrospermum Parkii	AAK	5.00	Conditioning/ Moisturization
	Indopol H-1900	Polybutene	Vantage	10.00	Stick Stability and structure enhancer
	Coconut Oil	Cocos Nucifera		7.00	Emollient
	Floramac Macadamia Oil	Macadamia Integrifolia Seed Oil	Floratech	6.00	Natural emollient/ Moisturizer
	Castor Oil	Ricinus Communis		6.00	Emollient, stability improvement

	Sweet Almond Oil	Prunus amygdalus dulcis		8.00	Conditioning/ Moisturization
	Vit A Palmitate	Vit A Palmitate	DSM	0.30	Cell renewal, skin elasticity enhancer
	Ethylhexyl methoxy cinnamate	Ethylhexyl methoxy cinnamate	Spectrum	5.00	U.V Protection
	Eldew SL-205	Isopropyl Lauroyl Sarcosinate	Ajinomoto North America Inc.	2.50	Light emollient/ sensory/ Moisturization
	Eldew APS-307	Phytosteryl/Decyltetradecyl Myristoyl Methyl Beta-Alanine	Ajinomoto North America Inc.	1.50	Emollient, Moisturizer, Ceramide like activity
	Eldew PS-203	Phytosteryl/Octyldodecyl Lauroyl Glutamate	Ajinomoto North America Inc.	2.50	Emollient, Moisturizer, Ceramide like activity
	Schercemol DISM Ester	Diisostearyl Malate	Lubrizol	3.00	Emollient, stability improvement
C.	Pinacolada Flavor		Labermuth	1.50	Flavor
	Vit E Acetate			1.20	Antioxidant

Procedure:

- (1) Heat Phase A and mix at 95°C.
- (2) Mix phase B and add to Phase A. Mix at 95°C.
- (3) Add Phase C and mix at 90°C.
- (4) Pour at 85-90°C.

Stability:

20 weeks - Stable at 0°C, 40°C, 45°C & at R.T

Disclaimer: This information is presented in good faith and we believe that it is correct, but no warranty as to accuracy of results or fitness for particular use is given, not is freedom from patent infringement to be inferred. It is offered solely for information.

Before using any Ajinomoto product, or any product mentioned in this literature: read, understand and follow the information contained in the most recent Material Safety Data Sheet.