

Prototype
Nov 2015



ASC -30-79

Ajinomoto Health & Nutrition North America, Inc.
4105 Poole Road, Raleigh North Carolina 27610
Tel: (919) - 233 - 2367

Long Lasting Clear Lip Gloss Stick

NYSCC Supplier's Day 2016 Formula

	Trade Name	INCI Name	Supplier	% w/w	Role of ingredient
A.	AJK OD2046	Octyl Dodecanol, Dibutyl Lauroyl Glutamide, Dibutyl Ethylhexanoyl Glutamide	Ajinomoto	22.00	Gelling Mixture, Structure, Clarity
B.	Panalane H-300E	Hydrogenated Polyisobutene	Vantage	14.50	Stick Stability and structure enhancer
	Panalane L-14E	Hydrogenated Polyisobutene	Vantage	4.00	Stick Stability
	Shea Clear	Butyrospermum Parkii	AAK	5.00	Conditioning/ Moisturization
	Indopol H-1900	Polybutene	Vantage	10.00	Stick Stability and structure enhancer
	Coconut Oil	Cocos Nucifera		7.00	Emollient
	Floramac Macadamia Oil	Macadamia Integrifolia Seed Oil	Floratech	6.00	Natural emollient/ Moisturizer
	Castor Oil	Ricinus Communis		6.00	Emollient, stability improvement
	Sweet Almond Oil	Prunus amygdalus dulcis		8.00	Conditioning/ Moisturization
	Vit A Palmitate		DSM	0.30	Cell renewal, skin elasticity enhancer
	Ethylhexyl methoxy cinnamate			5.00	U.V Protection
	Eldew SL-205	Isopropyl Lauroyl Sarcosinate	Ajinomoto	2.00	Light emollient/ sensory/ Moisturization

	Eldew APS-307	Phytosteryl/Decyltetradecyl Myristoyl Methyl Beta-Alanine	Ajinomoto	2.00	Emollient, Moisturizer, Ceramide like activity
	Eldew PS-203R	Phytosteryl/Octyldodecyl Lauroyl Glutamate	Ajinomoto	3.00	Emollient, Moisturizer, Ceramide like activity
	Schercemol DISM Ester	Diisostearyl Malate	Lubrizol	3.00	Emollient, stability improvement
C.	Pinacolada Flavor		Labermuth	1.50	Flavor
	Vit E Acetate			0.70	Antioxidant

Procedure:

- (1) Heat Phase A and mix at 95 - 105 °C.
- (2) Mix phase B and add to Phase A. Mix at 95 °C.
- (3) Add Phase C and mix at 90 °C.
- (4) Pour at 85-90 °C.

Stability:

On going stability 20 weeks - Stable at 0 °C, 40 °C, 45 °C & at R.T

Oct. 2018 rev.