

POWDER EYE SHADOW KPE-4

High concentration **AMIHOPE LL** provides
eye shadow very smooth spreadability with high adhesion to skin.

| | (wt%) | |
|--|-------|-------------------|
| A BORON NITRIDE *1 | 12.00 | Extender |
| AMIHOPE LL | 10.00 | Texture Improver |
| MAGNESIUM MYRISTATE *2 | 5.00 | Extender |
| SILICA *3 | 5.00 | Texture Improver |
| IRON OXIDE(and)DIMETHICONE (Black) *4 | 1.00 | Pigment |
| IRON OXIDE(and)DIMETHICONE (Red) *5 | 1.00 | Pigment |
| IRON OXIDE(and)DIMETHICONE (Yellow) *6 | 1.00 | Pigment |
| B CAPRYLIC / CAPRIC TRIGLYCERIDE *7 | 15.00 | Emollient, Binder |
| C CALCIUM SODIUM BOROSILICATE*8 | 5.00 | Pearl Pigment |
| MICA, IRON OXIDE *9 | 15.00 | Pearl Pigment |
| MICA, IRON OXIDE *10 | 15.00 | Pearl Pigment |
| MICA, IRON OXIDE *11 | 15.00 | Pearl Pigment |
| | 100.0 | |

- 1 Weigh all ingredients of part A and pulverize them with mixer for 1 minute.
- 2 Add part B to part A and pulverize the mixture for 1 minute.
- 3 Add part C and pulverize the mixture again for 20 second.
- 4 Press it at 0.6 MPa twice.

| | | |
|------|--------------------------|----------------------------|
| * 1 | SHP-5 | MIZUSHIMA FERROALLOY |
| * 2 | Magnesium myristate | TAIHEI CHEMICAL INDUSTRIAL |
| * 3 | NP-200 | AGC Si-Tech |
| * 4 | SA-BP-10 | MIYOSHI KASEI |
| * 5 | SA-YP-10 | MIYOSHI KASEI |
| * 6 | SA-RPS-10 | MIYOSHI KASEI |
| * 7 | TCG-M | KOKYU ALCOHOL KOGYO |
| * 8 | METASHINE® | NSG |
| * 9 | Colorona® Bronze | MERCK |
| * 10 | Colorona® Copper | MERCK |
| * 11 | Colorona® Copper Sparcle | MERCK |

Note; The information is provided based upon our technical data and present knowledge. However, we make no warranties, expressed or implied, and assume no liabilities in connection with any use of the information with respect to specific property, safety and suitability for a specific application. It is also not guaranteed that use of the information does not fall within the scope of any intellectual property rights.