

Transparent Lip Gloss <Stick type> LGS-S1

This formulation has excellent transparency and imparts nonsticky feeling.

	(wt%)
A EB-21	2.0
GP-1	3.0
OCTYLDODECANOL *1	20.0
B DIISOSTEARYL MALATE *2	17.0
ELDEW PS-203	5.0
CYCLOPENTASILOXANE *3	2.0
TOCOPHEROL	q.s.
PRESERVATIVE	q.s.
C HYDROGENATED POLYISOBUTENE *4	balance
D PEARLESCENT PIGMENTS *5	q.s.
	100.0

- 1 Dissolve part A at 110 - 120 °C with stirring.
- 2 Add part B to part A at 95 °C, and mix with stirring.
- 3 Add part C at 95 °C, and mix with stirring.
- 4 Add part D at 95 °C, and mix with stirring.
- 5 Cool down to room temperature.

- | | |
|--------------------------|---------------------|
| * 1 RISONOL 20SP | KOKYU ALCOHOL KOGYO |
| * 2 HAIMALATE DIS | KOKYU ALCOHOL KOGYO |
| * 3 SH245 Fluid | DOW CORNING |
| * 4 PARLEAM V | NOF |
| * 5 REFLECKS RAYS OF RED | ENGELHARD |

Stability; 40 °C, 25 °C, 5 °C for one month

Note; The information is provided based upon our technical data and present knowledge. However, we make no warranties, expressed or implied, and assume no liabilities in connection with any use of the information with respect to specific property, safety and suitability for a specific application. It is also not guaranteed that use of the information does not fall within the scope of any intellectual property rights.