

Lip Stick LT-EPR-2

ELDEW PS-203R imparts moisture to lips without causing greasy feeling.
(Technical Data Sheet No. 1015-1660E)

	LT-EPR-2 (wt%)	Without ELDEW (wt%)	
A ELDEW PS-203R	5.00	-	Emollient / Pseud-ceramide
HYDROGENATED POLYISOBUTENE *1	25.00	30.00	Oily base
SQUALANE	10.00	10.00	Emollient
PETROLATUM *2	10.00	10.00	Emollient
OCTYLDODECANOL *3	10.00	10.00	Emollient
CAPRYLIC / CAPRIC TRIGLYCERIDE*4	10.00	10.00	Emollient
CAPRYLIC / CAPRIC / MYRISTIC / STEARIC TRIGLYCERIDE*5	8.00	8.00	Emollient
ETHYLHEXYL HYDROXYSTEARATE *6	8.00	8.00	Emollient
SYNTHETIC WAX *7	7.00	7.00	Binder
PARAFIN *8	4.00	4.00	Binder
MICROCRYSTALLINE WAX *9	2.00	2.00	Binder
B CI 15850 *10	0.18	0.18	Coloring
IRON OXIDE *11	0.13	0.13	Pigment
TITANIUM DIOXIDE ALUMINUM HYDROXIDE *12	0.21	0.21	Pigment
CI 42090 *13	0.01	0.01	Coloring
POLYGLYCERYL-2 TRIISOSTEARATE *14	0.47	0.47	Emollient
	100.0	100.0	

- 1 Heat part A at 90°C and mix well.
- 2 Disperse part B with mill roll.
- 3 Add part B to part A.
- 4 Heat to 90°C again and defoam the bulk.
- 5 Pour into a mold and cool down to room temperature.

* 1	PARLEAM 18	NOF
* 2	SUN WHITE P-200	NIKKO RICA
* 3	RISONOL 20SP	KOKYU ALCOHOL KOGYO
* 4	TCG-M	KOKYU ALCOHOL KOGYO
* 5	SALACOS 334	NISSHIN OILLIO
* 6	RISOCAST IOHS	KOKYU ALCOHOL KOGYO
* 7	CIREBELLE108	DKSH
* 8	PARAFIN WAX	NIKKO RICA
* 9	MICROCRYSTALLINE WAX	NIKKO RICA
* 10	RED #202	TAKETOMBO
* 11	R-516-P	TITAN KOGYO
* 12	TIPAQUE CR-50	ISHIHARA SANGYO
* 13	BLUE #1	TAKETOMBO
* 14	COSMOL 43V	NISSHIN OILLIO

Stability; 50°C, 25°C, Cycle (-5 ~ 40°C) for three months

Note; The information is provided based upon our technical data and present knowledge. However, we make no warranties, expressed or implied, and assume no liabilities in connection with any use of the information with respect to specific property, safety and suitability for a specific application. It is also not guaranteed that use of the information does not fall within the scope of any intellectual property rights