

Skin Care Cream <Natural> NC-0010

ELDEW PS-203 improves the moisturized feeling after application.

	(wt%)
A Butyrospermum Parkii (Shea Butter)*1	3.0
Squalane*2	7.0
Simmondsia Chinensis (Jojoba) Seed Oil*3	5.0
Stearyl Alcohol*4	2.0
Polyglyceryl-10 Myristate*5	2.0
ELDEW PS-203	3.0
Sorbitan Stearate*6	1.5
B Water	70.0
C Xanthan Gum*7	0.2
D CAE	0.1
AMISOFT HS-11P	0.1
E AMIHOPE LL	1.0
F Preservatives	q.s.
G Water	balance
	100.0

- 1 Heat part A to 80 degrees to melt.
- 2 Add part C to part B.
- 3 Mix until uniform and add part D during mixing
- 4 Heat part B to 80 degrees
- 5 Add part B to Part A and emulsify by mixing with a homogenizer (3000 rpm).
- 6 Add part E to part A
- 7 Cool to 45 degrees
- 8 Add part F to part G, and dissolve
- 9 Add mixture of part G to part A

* 1 Shea Butter RF	Kokyu Alcohol Kogyo
* 2 NIKKOL Sugar Squalane	Nikko Chemicals
* 3 Refined Jojoba Oil	Koei Kogyo
* 4 Stearyl Alcohol NX	Kokyu Alcohol Kogyo
* 5 NIKKOL DECAGLYN 1-M	Nikko Chemicals
* 6 NIKKOL SS-10V	Nikko Chemicals
* 7 KELTROL CG-T	Sansho

pH; 4.0

Viscosity; 15,000mPa.s (B type, rotor No.3, 6rpm, 30sec., 25°C)

Stability; 5°C, 25°C, 40°C for 1 month

Note; The information is provided based upon our technical data and present knowledge. However, we make no warranties, expressed or implied, and assume no liabilities in connection with any use of the information with respect to specific property, safety and suitability for a specific application. It is also not guaranteed that use of the information does not fall within the scope of any intellectual property rights.