

**PRESSED POWDER FOUNDATION PFD-NTPO**

**AMIHOPE OL** keeps the soft texture when rub out with a puff,  
and imparts light feeling and natural transparency.

TS Data Sheet No. 0501-0780E, -07900E, -0800E

	PFD-NTPO (wt%)	without <b>AMIHOPE</b> (wt%)	
A TALC *1	20,45	22,45	Extender
SERICITE *2	32,00	32,00	Extender
MICA *3	20,00	20,00	Extender
TITANIUM DIOXIDE *4	8,00	8,00	Pigment
TITANIUM DIOXIDE, ALUMINUM STEARATE *5	3,00	3,00	UV filter
ZINC OXIDE, METHICONE *6	2,00	2,00	UV filter
IRON OXIDE, DIMETHICONE(Red) *7	0,40	0,40	Pigment
IRON OXIDE, DIMETHICONE (Yellow) *8	1,00	1,00	Pigment
IRON OXIDE, DIMETHICONE(Black) *9	0,15	0,15	Pigment
<b>AMIHOPE OL</b>	<b>2,00</b>	-	Sensory improver
B DIMETHICONE *10	4,98	4,98	Emollient, binder
POLYGLYCERYL-2 TETRAISOSTEARATE *11	3,00	3,00	Emollient, binder
DIPENTAERYTHRITYL HEXAHYDROXYSTEARATE/STEARATE/ROSINATE *12	1,00	1,00	Emollient, binder
MINERAL OIL *13	2,00	2,00	Emollient, binder
METHYLPARABEN	0,01	0,01	Preservative
TOCOPHEROL	0,01	0,01	Antioxidant
	100,0	100,0	

- 1 Dissolve part B with heating.
- 2 Weigh all ingredients of part A and pulverize them.
- 3 Mill part A and Part B and pulverize them again .
- 4 Pass the powder to a sieve and then press it.

- |                              |                 |
|------------------------------|-----------------|
| * 1 JA-68R                   | YAMAGUCHI MICA  |
| * 2 Sericite GMS-4C          | KINSEI MATEC    |
| * 3 Mica Y-2300X             | YAMAGUCHI MICA  |
| * 4 CR-50                    | ISHIHARA SANGYO |
| * 5 MT-100Z                  | TAYCA           |
| * 6 MZ-303S                  | TAYCA           |
| * 7 SA-RED R-516PS (100%)    | MIYOSHI         |
| * 8 SA-YELLOW LL-100P (100%) | MIYOSHI         |
| * 9 SA-BLACK BL-100PS (100%) | MIYOSHI         |
| * 10 KF-96A-20cs             | SHIN-ETSU       |
| * 11 COSMOL 44V              | NISSHIN OILIO   |
| * 12 COSMOL 168ARV           | NISSHIN OILIO   |
| * 13 HICALL K-230            | KANEDA          |

Note; The information is provided based upon our technical data and present knowledge. However, we make no warranties, expressed or implied, and assume no liabilities in connection with any use of the information with respect to specific property, safety and suitability for a specific application. It is also not guaranteed that use of the information does not fall within the scope of any intellectual property rights.